

# Coating WB2050 Lock3 Satin 2-Sided

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Issue date: 20-4-2020 Revision date: Supersedes: Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : Coating WB2050 Lock3 Satin 2-Sided  
Product code : AD1226WB2050  
Type of product : WATERBASED COATING  
Product group : GALAXY COATINGS

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Reserved for industrial and professional use  
Industrial/Professional use spec : Industrial Graphics application  
Use of the substance/mixture : Lacquer/varnish  
Function or use category : Expedient, Aid

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

AtéCé Graphic Products  
Molenwerf 14  
NL1911 DB Uitgeest  
Tel.: +31 251 319109  
E-mail: msds@atece.nl

#### 1.4. Emergency telephone number

Emergency number : +31 - (0) 30 2748888 Dutch Poison center / Vergiftigings Centrum  
Only for the purpose of informing medical personnel in cases of acute intoxications

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

No labelling applicable

#### 2.3. Other hazards

No additional information available

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

# Coating WB2050 Lock3 Satin 2-Sided

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ammonia ....% (unreacted)	(CAS-No.) 1336-21-6 (EC-No.) 215-647-6 (EC Index-No.) 007-001-01-2	< 1	Skin Corr. 1B, H314 Aquatic Acute 1, H400

### Specific concentration limits:

Name	Product identifier	Specific concentration limits
ammonia ....% (unreacted)	(CAS-No.) 1336-21-6 (EC-No.) 215-647-6 (EC Index-No.) 007-001-01-2	( 5 ≤ C ≤ 100) STOT SE 3, H335

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Depending on the victim's condition: doctor/hospital.
First-aid measures after inhalation	: Remove the victim into fresh air.
First-aid measures after skin contact	: Wash with water and soap.
First-aid measures after eye contact	: Rinse immediately with plenty of water.
First-aid measures after ingestion	: Immediately consult a doctor/medical service.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact	: May cause slight irritation.
------------------------------------	--------------------------------

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: carbon dioxide (CO <sub>2</sub> ), dry chemical powder, water spray.
Unsuitable extinguishing media	: Container may slop over if solid jet (water/foam) is applied.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: Non combustible.
-------------	--------------------

### 5.3. Advice for firefighters

Precautionary measures fire	: Exposure to fire/heat: keep upwind.
Firefighting instructions	: Fire-fighting instructions: no data available.
Protection during firefighting	: Heat/fire exposure: compressed air/oxygen apparatus.
Other information	: Do not allow run-off from fire fighting to enter drains or water courses.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Protective equipment	: Gloves. Safety glasses.
Emergency procedures	: Consider evacuation.

#### 6.1.2. For emergency responders

Protective equipment	: No supplementary information available.
Emergency procedures	: Stop release.

### 6.2. Environmental precautions

Prevent spreading in sewers.

### 6.3. Methods and material for containment and cleaning up

For containment	: Take up liquid spill into a non combustible material e.g.: dry sand/earth/vermiculite kieselguhr, powdered limestone.
Methods for cleaning up	: Clean contaminated surfaces with an excess of water.

# Coating WB2050 Lock3 Satin 2-Sided

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Other information : Plug the leak, cut off the supply.

### 6.4. Reference to other sections

No additional information available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Hygiene measures : Do not eat, drink or smoke in areas where product is used. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Maintain air gap between stacks/pallets.  
 Storage conditions : Local exhaust and general ventilation must be adequate to meet exposure standards.  
 Storage area : Protect against frost. Keep out of direct sunlight. Meet the legal requirements. Keep only in original packaging.  
 Special rules on packaging : closing. correctly labelled.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

Appropriate engineering controls : Ensure adequate air ventilation. Do not eat, drink or smoke in areas where product is used.  
 Personal protective equipment : Gloves. Safety glasses.  
 Hand protection : Wear suitable gloves (tested to EN374): Butyl rubber: penetration time > 480' - thickness 0,40 mm, Nitrile rubber : penetration time > 480' - thickness 0,40 mm  
 Eye protection : In case of splash hazard: safety glasses  
 Skin and body protection : Wear suitable protective clothing  
 Respiratory protection : Respiratory protection not required in normal conditions



Environmental exposure controls : Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid  
 Appearance : Viscous.  
 Colour : White.  
 Odour : Mild odour. ammonia odour.  
 Odour threshold : No data available  
 pH : 8 – 9.5  
 Relative evaporation rate (butylacetate=1) : No data available  
 Melting point : No data available  
 Freezing point : No data available  
 Boiling point : ≈ 100 °C

# Coating WB2050 Lock3 Satin 2-Sided

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: 23 hPa
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: ≈ 1
Solubility	: Water: Soluble in water
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: 30 – 70 DIN 4 cup @ 20 °C
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

VOC content	: < 5 %
-------------	---------

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable under normal conditions.

### 10.2. Chemical stability

No data available.

### 10.3. Possibility of hazardous reactions

No data available.

### 10.4. Conditions to avoid

Protect against frost. Extremely high or low temperatures.

### 10.5. Incompatible materials

Overheating.

### 10.6. Hazardous decomposition products

No additional information available

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation	: Not classified pH: 8 – 9.5
Serious eye damage/irritation	: Not classified pH: 8 – 9.5
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

# Coating WB2050 Lock3 Satin 2-Sided

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : Avoid release to the environment.

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Regional legislation (waste) : Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

European List of Waste (LoW) code : 15 01 06 - mixed packaging

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.2. UN proper shipping name</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.4. Packing group</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>				
Dangerous for the environment : No	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

#### 14.6. Special precautions for user

##### - Overland transport

##### - Transport by sea

Not applicable

##### - Air transport

Not applicable

##### - Inland waterway transport

Not applicable

##### - Rail transport

Not applicable

# Coating WB2050 Lock3 Satin 2-Sided

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC content : < 5 %

#### 15.1.2. National regulations

##### Germany

Regulatory reference : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

##### Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-list of Mutagenic Substances : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Indication of changes:

	SDS EU format	Added	
1.1	Product code	Added	
1.2	Use of the substance/mixture	Added	

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : Although this text realisation has kept all our attention, we cannot accept any liability whatsoever resulting of the use of this sheet.

Classification according to Regulation (EC) No. 1272/2008 [CLP]:

Not classified	
----------------	--

Full text of H- and EUH-statements:

Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.

SDS EU (REACH Annex II) - Galaxy Coatings (V01)

28-4-2020

EN (English)

6/7

# Coating WB2050 Lock3 Satin 2-Sided

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*