



DCP is the ideal medium for any document containing more color illustrations than text. Its high whiteness and perfectly smooth surface promote high quality color reproduction.

Substance	gsm	NF EN ISO 536	(+/-2,5%)	80	90	100	120	160	200	250	300	350	400
Thickness	µm	NF EN ISO 534	(+/-5)	92	99	110	128	160	200	230	276	322	370
Bulk	cm ³ /g	NF EN ISO 534		1.15	1.10	1.10	1.07	1.00	1.00	0.92	0.92	0.92	0.92
Whiteness	CIE	NF ISO 11475	(+/-3,5%)	170	170	170	170	170	170	170	170	170	170
	ISO	ISO 2470-2		111	111	111	111	111	111	111	111	111	111
Absolute humidity	%H ₂ O	NF EN ISO 20287		4,5	4,5	4,5	4,5	4,8	4,8	5,2	5,7	5,7	5,7
Relative humidity	% in the air	Sword measurement		32	32	32	32	35	35	40	46	46	46
Opacity	%	NF ISO 2471	(+/-3)	93,5	95	96	97	>99	>99	>99	>99	>99	>99
Bekk smoothness	s	NF ISO 5627		150	150	150	150	150	150	140	125	110	110

Application

External communication. All documents containing text and colors. Reproduction of images.

Product certificates and technical information

- Resistant to ageing (ISO 9706)
- ColorLok technology



Product certificates and environmental information

- FSC®
- Ecolabel



Information for printing

- Certified for professional dry toner systems (DIN / EN 12281)
- Recommended for all black and colour office printing technologies: laser with dry toner, solvent-free inkjet, solid wax ink
- Plain paper setting for inkjet printing

Mill certifications

- ISO 14001: Environmental management system
- ISO 9001: Quality management system
- ISO 50001: Energy management system

Made in France

Indicative values. Errors and omissions excepted. Subject to change without notice.
Revision date: 2023/02/17



Clairefontaine

Change
Picture
to your
Cert.

PRODUCT CLAIREFONTAINE Papers

COMPANY PAPETERIES DE CLAIREFONTAINE

MILL ETIVAL-CLAIREFONTAINE - FRANCE

Information gathered from 01/01/2022 to 31/12/2022 Date of issue 28/09/2023

PRODUCT ENVIRONMENTAL DATASHEET FOR PAPER

ENVIRONMENTAL MANAGEMENT

Certified environmental management system at ISO 14001 - ISO 50001

Company systems ensure traceability of the origin of wood: YES NO 100% RECOVERED PAPER NO

FSC Certificate number: BV-COC-050902

PEFC Certificate number: BV/CdC/070504

Some ranges are European Ecolabel and/or Blue Angel certified.

ENVIRONMENTAL PARAMETERS

The figures are based on methods and procedures of measurement approved by the local (or national) environmental regulators at the production site. The figures include pulp and paper production.

Water	COD	7.96	kg/tonne
	AOX	0.07	kg/tonne
	NTot	0.07	kg/tonne
	PTot	0.02	kg/tonne

Air	SO ₂	0.09	kg/tonne
	NO _x	1.29	kg/tonne
	CO ₂ (fossil)	487	kg/tonne

Solid waste landfilled 0* BDkg/tonne

Purchased electricity consumption
/tonne of final product 1131 kWh


MORE INFORMATION

Contact Raphaël MINODIER

Address 19 Rue de l'Abbaye

88480 ETIVAL-CLAIREFONTAINE

PRODUCT COMPOSITION



This product contains biomass carbon, equivalent to 1423 kg of CO₂ per tonne of product.

Phone +33 3 29 42 42 42

e-mail raphael.minodier@clairefontaine.eu

* For paper production



Certificat

Certificate

Papier graphique
Graphic paper

Page 2 / 9

Certificat de renouvellement du 26/03/2021
Certificate of renewal from 26/03/2021

Liste détaillée des licences attribuées par AFNOR Certification
Detailed list of licenses granted by AFNOR Certification
pour l'Ecolabel Européen "Papier graphique"
for the EU Ecolabel "Graphic paper"

Des sites de fabrication :
To production sites:

PAPETERIES DE CLAIREFONTAINE
19, rue de l'Abbaye
88480 ETIVAL-CLAIREFONTAINE

PAPETERIE DE MANDEURE
14, rue de la Papeterie
25350 MANDEURE

Pour la marque commerciale :
For the trademark:

CLAIREFONTAINE

Numéro de licence :
License number

06/001
06/001/001

Référence commerciale du produit :
Product Name

DCP WHITE
DCP IVORY

Cet avenant est valide jusqu'au
This amendment is valid until
31/12/2024

Annexe non valide sans l'avenant
Appendix not valid without the amendment