

	Ref. STD	Unit of meas.	TECHNICAL SPECIFICATIONS			
Substance	ISO 536	g/m2	90	100	115	130
Caliper	ISO 534	µm	70	77	88	100
Bulk	ISO 534	cm3/g	0,78	0,77	0,77	0,77
Smoothness Bekk	ISO 5627	s	500	500	500	450
Gloss Gardner	ISO 8254-1	%	40 max	40 max	45 max	45 max
Whiteness	ISO 11475	%	120	120	120	120
Brightness ISO	ISO 2470 (D65)	%	96	96	96	96
Opacity ISO	ISO 2471	%	92,5	94	95	96



The mark of responsible forestry

Notes: - FSC Recycled Credit Coated Paper-Only the products that are identified as such on this document are FSC® certified

Finishing **Satin**

Printing method **Sheet-fed offset**

Applications **Catalogues - Brochures - Environmental reports - Magazines - Luxury books - Books covers**

Each value is subject to current trade tolerances.

	Ref. STD	Unit of meas.	TECHNICAL SPECIFICATIONS			
			150	170	200	250
Substance	ISO 536	g/m2	150	170	200	250
Caliper	ISO 534	µm	115	134	162	207
Bulk	ISO 534	cm3/g	0,77	0,79	0,81	0,83
Smoothness Bekk	ISO 5627	s	400	350	300	200
Gloss Gardner	ISO 8254-1	%	45 max	45 max	45 max	45 max
Whiteness	ISO 11475	%	120	121	121	121
Brightness ISO	ISO 2470 (D65)	%	96	96	96	96
Opacity ISO	ISO 2471	%	97 min	98 min	98 min	98 min



The mark of responsible forestry

Notes: - FSC Recycled Credit Coated Paper-Only the products that are identified as such on this document are FSC® certified

Finishing **Satin**

Printing method **Sheet-fed offset**

Applications **Catalogues - Brochures - Environmental reports - Magazines - Luxury books - Books covers**

Each value is subject to current trade tolerances.

	Ref. STD	Unit of meas.	TECHNICAL SPECIFICATIONS			
Substance	ISO 536	g/m2	300	350		
Caliper	ISO 534	µm	261	315		
Bulk	ISO 534	cm3/g	0,87	0,90		
Smoothness Bekk	ISO 5627	s	150	100		
Gloss Gardner	ISO 8254-1	%	45 max	45 max		
Whiteness	ISO 11475	%	121	121		
Brightness ISO	ISO 2470 (D65)	%	96	96		
Opacity ISO	ISO 2471	%	98 min	98 min		



The mark of responsible forestry

Notes: - FSC Recycled Credit Coated Paper-Only the products that are identified as such on this document are FSC® certified

Finishing **Satin**

Printing method **Sheet-fed offset**

Applications **Catalogues - Brochures - Environmental reports - Magazines - Luxury books - Books covers**

Each value is subject to current trade tolerances.