

COLORPRINT®

1. Chemical Product and Company Indication

1.1 Information on product	
1.1.1 Trade name	Colorprint®
1.1.2 Product indication	
1.1.3 Product advised use	Thermo transfer film for textile
1.2 Company Name	Siser s.r.l.
1.3 Address	Viale della Tecnica, 18 36100 Vicenza (VI) Italia
1.4 Telephone Number	Tel. 0039 0444 287960
1.5 Fax Number	Fax 0039 0444 287959
1.6 E-mail	e-mail info@siser.it , alessandro.canacci@siser.it MSDS approval manager : Dr. Alessandro Canacci

2 Hazard Identification

2.1 Hazard classification	The material is not subject to this classification according to EC lists and other literature sources. Products are combustible and should not be exposed to direct flame.
2.2 Human and environment hazards	The product is supplied in roll.. There is no exposure to chemical components at room temperature.
2.3 Possible health hazards	Not subject as supplied.

3 Composition / Information on chemicals

3.1 Composition	
3.1.1 Carrier	Polyester.
3.1.2 Film	Coated PVC white film with acrylate layer coupled with a co-polyester hotmelt layer.
3.1.3 Chemical substances	All chemical substances are not present in the SHVC list of REACH

4 First Aid Procedure

Not Applicable

5 Fire Fighting Procedures

5.1 Suitable extinguishing substances

Dry chemicals, foam or water mist.

5.2 Dangerous combustion substances

5.3 Firefighters special instructions

Wear breathing apparatus with positive pressure full face mask, helmet with face shield and gloves. In case of contact with the melted film cool the affected area immediately with water or ice. You should consult a physician for the removal of the material and for the treatment of the burn. Should people have inhaled smoke from combustion remove them quickly and seek medical advice.

6 Accidental Release

Not Applicable

7 Storage and Handling

Storage conditions

Keep in the original container in a cool and well ventilated place.

8 Exposure Control / Individual Protection

At room temperature, no specific protection is needed.

9 Physical and Chemical Properties

Properties

Aspect:: film roll
Colours: various
Odour: characteristic (typical)
>200°C
>200°C
>300°C
15 – 25 MJ/Kg
Insoluble

Melting point

Flash point

Auto-ignition temperature

Calorific power

Water solubility a 20°C

10 Accidental spill procedure

10.1 Thermal decomposition conditions to be avoided

The product does not decompose if stored and handled according to specifications.

11 Toxicological information

According to the latest knowledge there are no toxicological hazardous effects

12 Ecological information



Material Safety Data Sheet

Issue date 25/02/2016
Updated 15/07/2019
Version 20190715

Insoluble in water, not a pollutant.

13 Waste treatment

Dispose according to appropriate local regulations (waste CER 07.02.13.)

14 Transport information

The product is not classified as dangerous substance or goods, according to GGVS / ADR /RID.

15 Regulatory information

The product is not subject to classification according to EU lists and other sources of literature.

16 Other information

The product can be electrostatically charged: the handling equipment should be grounded.
Incorrect operating conditions may cause degradation of the product.
Document compliant to REACH.

The information contained herein relates only to the specific product.
This information is the best we can supply as for accuracy, reliability and completeness.
It is the user own responsibility to check suitability and completeness of such information in relation to the intended use.