

SCREENWASH AII

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 10-2-2014

Revision date: 3-5-2016

Supersedes: 10-2-2014

Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Product name	: SCREENWASH AII
Product code	: AT10123SWAII
Type of product	: CONVENTIONAL WASH
Product group	: GALAXY CLEANING AGENTS

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	: Reserved for industrial and professional use
Industrial/Professional use spec	: Industrial Graphics application
Use of the substance/mixture	: Cleansing product Solvent Degreasing agent
Function or use category	: Detergent

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

AtéCé Graphic Products
Molenwerf 14
NL1911 DB Uitgeest
Tel.: +31 251 319109
E-mail: msds@atece.nl

1.4. Emergency telephone number

Emergency number	: +31 - (0) 30 2748888 Dutch Poison center / Vergiftigings Centrum Only for the purpose of informing medical personnel in cases of acute intoxications
------------------	---

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3	H226
Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	H335
Specific target organ toxicity — Single exposure, Category 3, Narcosis	H336
Aspiration hazard, Category 1	H304
Hazardous to the aquatic environment — Chronic Hazard, Category 2	H411
Full text of hazard classes and H-statements : see section 16	

Adverse physicochemical, human health and environmental effects

Narcotic in high concentrations.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02

GHS07

GHS08

GHS09

SCREENWASH All

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Signal word (CLP)	: Danger
Hazardous ingredients	: Glycols; Hydrocarbons, C9, aromatics
Hazard statements (CLP)	: H226 - Flammable liquid and vapour H304 - May be fatal if swallowed and enters airways H335 - May cause respiratory irritation H336 - May cause drowsiness or dizziness H411 - Toxic to aquatic life with long lasting effects
Precautionary statements (CLP)	: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P261 - Avoid breathing mist, spray, vapours, Fume P273 - Avoid release to the environment P280 - Wear protective gloves, eye protection, face protection, protective clothing P301 - IF SWALLOWED: Rinse mouth, Do NOT induce vomiting, Immediately call a POISON CENTER or doctor/physician P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation
EUH-statements	: EUH066 - Repeated exposure may cause skin dryness or cracking

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C9, aromatics	(EC-No.) 918-668-5 (REACH-no) 01-2119455851-35	>= 50	Flam. Liq. 3, H226 STOT SE 3, H336 STOT SE 3, H335 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Glycols	(CAS-No.) 107-98-2 (EC-No.) 203-539-1 (EC Index-No.) 603-064-00-3	20 - 25	Flam. Liq. 3, H226 STOT SE 3, H336
Ethoxypropanol	(CAS-No.) 1569-02-4 (EC-No.) 216-374-5 (EC Index-No.) 603-177-00-8 (REACH-no) 01-2119462792-32	1 - 10	Flam. Liq. 3, H226 STOT SE 3, H336
Dimethylacetonylcarbinol	(CAS-No.) 123-42-2 (EC-No.) 204-626-7 (EC Index-No.) 603-016-00-1	1 - 10	Flam. Liq. 3, H226 Eye Irrit. 2, H319 STOT SE 3, H335
propylbenzene	(CAS-No.) 103-65-1 (EC-No.) 203-132-9 (EC Index-No.) 601-024-00-X	< 0.1	Flam. Liq. 3, H226 Asp. Tox. 1, H304 STOT SE 3, H335 Aquatic Chronic 2, H411

Specific concentration limits:

Name	Product identifier	Specific concentration limits
Dimethylacetonylcarbinol	(CAS-No.) 123-42-2 (EC-No.) 204-626-7 (EC Index-No.) 603-016-00-1	(C >= 10) Eye Irrit. 2, H319

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

SCREENWASH All

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

First-aid measures after inhalation	: Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	: Wash immediately with lots of water. Soap may be used. Do not apply (chemical) neutralizing agents. Remove clothing before washing. Take victim to a doctor if irritation persists. Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Repeated exposure may cause skin dryness or cracking.
First-aid measures after eye contact	: Rinse with water. Do not apply neutralizing agents. Take victim to an ophthalmologist if irritation persists.
First-aid measures after ingestion	: Do not induce vomiting. Rinse mouth with water. Ingestion of large quantities: immediately to hospital. Immediately call a POISON CENTER or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: EXPOSURE TO HIGH CONCENTRATIONS: Headache. Irritation of the respiratory tract. Irritation of the nasal mucous membranes. Dizziness. Narcosis. May cause respiratory irritation. May cause drowsiness or dizziness.
Symptoms/effects after skin contact	: ON CONTINUOUS EXPOSURE/CONTACT: Dry skin. Cracking of the skin.
Symptoms/effects after eye contact	: Slight irritation. Redness of the eye tissue.
Symptoms/effects after ingestion	: Risk of aspiration pneumonia. Risk of lung oedema. May be fatal if swallowed and enters airways.
Symptoms/effects upon intravenous administration	: No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: carbon dioxide (CO ₂), dry chemical powder, water spray. Foam. Sand.
Unsuitable extinguishing media	: Solid water jet ineffective as extinguishing medium. Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Flammable liquid and vapour.
Explosion hazard	: May form flammable/explosive vapour-air mixture.
Hazardous decomposition products in case of fire	: Carbon dioxide. Carbon monoxide. vapours.

5.3. Advice for firefighters

Precautionary measures fire	: Exposure to fire/heat: keep upwind.
Firefighting instructions	: Eliminate all ignition sources if safe to do so. Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Heat/fire exposure: compressed air/oxygen apparatus. Evacuate unnecessary personnel. Do not enter fire area without proper protective equipment, including respiratory protection.
Other information	: Cool tanks/drums with water spray/remove them into safety.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Prevent soil and water pollution. Exclude sources of heat, sparks and open flame.
------------------	---

6.1.1. For non-emergency personnel

Protective equipment	: Gloves. Protective goggles. Protective clothing.
Emergency procedures	: In the event of a significant spillage : Keep upwind, Consider evacuation, Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment	: Equip cleanup crew with proper protection. Wear suitable respiratory equipment in case of insufficient ventilation.
Emergency procedures	: Ventilate area.

SCREENWASH AII

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.2. Environmental precautions

Use appropriate container to avoid environmental contamination. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- For containment : Plug the leak, cut off the supply. Provide equipment/receptacles with earthing. Take up liquid spill into a non combustible material e.g.: dry sand/earth/vermiculite kieselguhr, powdered limestone.
- Methods for cleaning up : Clean contaminated surfaces with a soap solution. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
- Other information : Waste to eliminate according to chemical waste law.

6.4. Reference to other sections

Exposure controls and personal protection. See Heading 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.
- Precautions for safe handling : Do not eat, drink or smoke when using this product. Take precautionary measures against static discharge. Do not get in eyes, on skin, or on clothing. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
- Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment.
- Storage conditions : Keep container tightly closed.
- Incompatible products : Oxidizing agent. Strong bases. Strong acids.
- Incompatible materials : Heat sources.
- Heat and ignition sources : KEEP SUBSTANCE AWAY FROM: Sources of ignition. Heat sources.
- Storage area : Keep in a cool place. Store in a well-ventilated place.

7.3. Specific end use(s)

Detergent.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Glycols (107-98-2)		
EU	IOELV TWA (mg/m ³)	375 mg/m ³ (1-Methoxypropanol-2; EU; Time-weighted average exposure limit 8 h; Indicative occupational exposure limit value)
EU	IOELV TWA (ppm)	100 ppm (1-Methoxypropanol-2; EU; Time-weighted average exposure limit 8 h; Indicative occupational exposure limit value)
EU	IOELV STEL (mg/m ³)	568 mg/m ³ (1-Methoxypropanol-2; EU; Short time value; Indicative occupational exposure limit value)
EU	IOELV STEL (ppm)	150 ppm (1-Methoxypropanol-2; EU; Short time value; Indicative occupational exposure limit value)
Belgium	Limit value (mg/m ³)	375 mg/m ³ (1-Méthoxy-2-propanol; Belgium; Time-weighted average exposure limit 8 h)
Belgium	Limit value (ppm)	100 ppm (1-Méthoxy-2-propanol; Belgium; Time-weighted average exposure limit 8 h)
Belgium	Short time value (mg/m ³)	568 mg/m ³ (1-Méthoxy-2-propanol; Belgium; Short time value)
Belgium	Short time value (ppm)	150 ppm (1-Méthoxy-2-propanol; Belgium; Short time value)

SCREENWASH AII

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Glycols (107-98-2)		
France	VME (mg/m ³)	188 mg/m ³ (1-Méthoxy-2-propanol; France; Time-weighted average exposure limit 8 h; VRC: Valeur réglementaire contraignante)
France	VME (ppm)	50 ppm (1-Méthoxy-2-propanol; France; Time-weighted average exposure limit 8 h; VRC: Valeur réglementaire contraignante)
France	VLE (mg/m ³)	375 mg/m ³ (1-Méthoxy-2-propanol; France; Short time value; VRC: Valeur réglementaire contraignante)
France	VLE (ppm)	100 ppm (1-Méthoxy-2-propanol; France; Short time value; VRC: Valeur réglementaire contraignante)
Netherlands	Grenswaarde TGG 8H (mg/m ³)	375 mg/m ³ (1-Methoxy-2-propanol; Netherlands; Time-weighted average exposure limit 8 h; Public occupational exposure limit value)
Netherlands	Grenswaarde TGG 8H (ppm)	100 ppm (1-Methoxy-2-propanol; Netherlands; Time-weighted average exposure limit 8 h; Public occupational exposure limit value)
Netherlands	Grenswaarde TGG 15MIN (mg/m ³)	563 mg/m ³ (1-Methoxy-2-propanol; Netherlands; Short time value; Public occupational exposure limit value)
Netherlands	Grenswaarde TGG 15MIN (ppm)	150 ppm (1-Methoxy-2-propanol; Netherlands; Short time value; Public occupational exposure limit value)
United Kingdom	WEL TWA (mg/m ³)	375 mg/m ³ 1-Methoxypropan-2-ol; United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005)
United Kingdom	WEL TWA (ppm)	100 ppm 1-Methoxypropan-2-ol; United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005)
United Kingdom	WEL STEL (mg/m ³)	560 mg/m ³ 1-Methoxypropan-2-ol; United Kingdom; Short time value; Workplace exposure limit (EH40/2005)
United Kingdom	WEL STEL (ppm)	150 ppm 1-Methoxypropan-2-ol; United Kingdom; Short time value; Workplace exposure limit (EH40/2005)

8.2. Exposure controls

Appropriate engineering controls	: Do not eat, drink or smoke in areas where product is used. Ensure adequate ventilation.
Personal protective equipment	: Avoid all unnecessary exposure. Gas mask with filter type A. Protective goggles. Gloves.
Hand protection	: Wear suitable gloves (tested to EN374): Nitrile rubber : penetration time > 480' - thickness 0,40 mm. Gloves must be replaced whenever signs of wear or perforation appear
Eye protection	: Face-shield. Protective goggles. Chemical goggles or safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Ventilation. Breathing equipment. Work under local exhaust/ventilation. Wear respiratory protection



Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid.
Colour	: Colourless.

25-8-2017

EN (English)

5/11

SCREENWASH AII

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Odour	: characteristic.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: < -50 °C
Freezing point	: No data available
Boiling point	: 120 - 185 °C
Flash point	: 36 °C
Auto-ignition temperature	: > 400 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: Flammable liquid and vapour
Vapour pressure	: 1.1 kPa (20 °C)
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 0.88 g/cm ³ (20 °C)
Solubility	: In water, material is partially soluble.
Log Pow	: No data available
Viscosity, kinematic	: 1.3 cSt
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

On burning (carbon monoxide - carbon dioxide). Not established.

10.4. Conditions to avoid

Open flame. Overheating. Direct sunlight. Heat. Sparks.

10.5. Incompatible materials

Keep away from: oxidising compounds and reductor agents. Strong acids. Strong bases.

10.6. Hazardous decomposition products

May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Glycols (107-98-2)	
LD50 dermal rat	> 2000 mg/kg bodyweight (Rat; Experimental value; Other)
Hydrocarbons, C9, aromatics	
LD50 oral rat	3492 mg/kg
LD50 dermal rat	> 3160 mg/kg
LC50 inhalation rat (mg/l)	> mg/l/4h
LC50 inhalation rat (Vapours - mg/l/4h)	6.193 mg/l/4h

SCREENWASH AII

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Skin corrosion/irritation	: Not classified
Additional information	: Repeated exposure may cause skin dryness or cracking
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause respiratory irritation. May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
Aspiration hazard	: May be fatal if swallowed and enters airways.

SCREENWASH AII	
Viscosity, kinematic	1.3 mm ² /s

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Toxic to aquatic life with long lasting effects.

Glycols (107-98-2)	
Threshold limit algae 1	> 1000 mg/l (EC50; Other; 168 h; Pseudokirchneriella subcapitata; Static system; Fresh water; Experimental value)

12.2. Persistence and degradability

SCREENWASH AII	
Persistence and degradability	May cause long-term adverse effects in the environment.
Glycols (107-98-2)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil. Photodegradation in the air.
ThOD	1.95 g O ₂ /g substance
Hydrocarbons, C9, aromatics	
Persistence and degradability	Readily biodegradable in water.
Biodegradation	78 % (28 days)

12.3. Bioaccumulative potential

Glycols (107-98-2)	
BCF fish 1	1 (BCF)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

12.4. Mobility in soil

Glycols (107-98-2)	
Surface tension	0.0707 N/m (20 °C; 1 g/l)

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Additional information	: Handle empty containers with care because residual vapours are flammable.
Ecology - waste materials	: Avoid release to the environment. Hazardous waste due to toxicity.






SCREENWASH AII

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 14: Transport information


In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
1993	1993	1993	1993	1993
14.2. UN proper shipping name				
FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C9, aromatics)	FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C9, aromatics)	Flammable liquid, n.o.s. (Hydrocarbons, C9, aromatics)	FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C9, aromatics)	FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C9, aromatics)
Transport document description				
UN 1993 FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C9, aromatics), 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS	UN 1993 FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C9, aromatics), 3, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS	UN 1993 Flammable liquid, n.o.s. (Hydrocarbons, C9, aromatics), 3, III, ENVIRONMENTALLY HAZARDOUS	UN 1993 FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C9, aromatics), 3, III, ENVIRONMENTALLY HAZARDOUS	UN 1993 FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C9, aromatics), 3, III, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard class(es)				
3	3	3	3	3
				
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes
No supplementary information available				

14.6. Special precautions for user

- Overland transport

Classification code (ADR)	: F1
Special provisions (ADR)	: 274, 601
Limited quantities (ADR)	: 5I
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1, TP29
Tank code (ADR)	: LGBF
Vehicle for tank carriage	: FL
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Operation (ADR)	: S2
Hazard identification number (Kemler No.)	: 30
Orange plates	:



SCREENWASH AII

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Tunnel restriction code (ADR) : D/E

- Transport by sea

Special provisions (IMDG) : 223, 274, 955
 Limited quantities (IMDG) : 5 L
 Excepted quantities (IMDG) : E1
 Packing instructions (IMDG) : P001, LP01
 IBC packing instructions (IMDG) : IBC03
 Tank instructions (IMDG) : T4
 Tank special provisions (IMDG) : TP1, TP29
 EmS-No. (Fire) : F-E
 EmS-No. (Spillage) : S-E
 Stowage category (IMDG) : A

- Air transport

PCA Excepted quantities (IATA) : E1
 PCA Limited quantities (IATA) : Y344
 PCA limited quantity max net quantity (IATA) : 10L
 PCA packing instructions (IATA) : 355
 PCA max net quantity (IATA) : 60L
 CAO packing instructions (IATA) : 366
 CAO max net quantity (IATA) : 220L
 Special provisions (IATA) : A3
 ERG code (IATA) : 3L

- Inland waterway transport

Classification code (ADN) : F1
 Special provisions (ADN) : 274, 601, 640E
 Limited quantities (ADN) : 5 L
 Excepted quantities (ADN) : E1
 Carriage permitted (ADN) : T
 Equipment required (ADN) : PP, EX, A
 Ventilation (ADN) : VE01
 Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : F1
 Special provisions (RID) : 274, 601, 640E
 Limited quantities (RID) : 5L
 Excepted quantities (RID) : E1
 Packing instructions (RID) : P001, IBC03, LP01, R001
 Mixed packing provisions (RID) : MP19
 Portable tank and bulk container instructions (RID) : T4
 Portable tank and bulk container special provisions (RID) : TP1, TP29
 Tank codes for RID tanks (RID) : LGBF
 Transport category (RID) : 3
 Special provisions for carriage – Packages (RID) : W12
 Colis express (express parcels) (RID) : CE4
 Hazard identification number (RID) : 30

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SCREENWASH AII

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

Germany

VwVwS Annex reference : Water hazard class (WGK) 3, severe hazard to waters (Classification according to VwVwS, Annex 4)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-list of Mutagenic Substances : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

Denmark

Class for fire hazard : Class II-1

Store unit : 5 liter

Classification remarks : R10 <H226;H304;H335;H336;H411>; Emergency management guidelines for the storage of flammable liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H226	Flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H411	Toxic to aquatic life with long lasting effects
EUH066	Repeated exposure may cause skin dryness or cracking

SDS EU (REACH Annex II) - Galaxy Chemicals (V01)

SCREENWASH AII

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product