



Trade name : Igepa Surface Cleaner

Revision date: 21-05-2021 **Version (Revision):** 6.0.0 (5.0.0)

Print date : 23-02-2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Igepa Surface Cleaner

Unique Formula Identifier: R282-S0F4-700W-F4FE

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses

Degreaser

Sectors of use [SU]

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Process categories [PROC]

PROC 8a - Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC 11 - Non industrial spraying

PROC 19 - Manual activities involving hand contact

Environmental release categories [ERC]

ERC 8a - Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)

Uses advised against

This product should not be used for purposes other than the applications referred to above.

1.3 Details of the supplier of the safety data sheet

Supplier

Igepa Belux NV

Street: Nijverheidslaan 4

Postal code/City: B-9880 Aalter Telephone: +32 (0) 9 325 45 77 Telefax: +32 (0) 9 325 45 90

Information contact: Safety Department

Website: www.igepa.be

E-mail (competent person): info@igepa.be

1.4 Emergency telephone number

(08.00 - 17.00)

National Poisons Information Service (NPIS) Email: director.birmingham.unit@npis.org Website: http://www.npis.org/

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Flam. Liq. 2; H225 - Flammable liquids: Category 2; Highly flammable liquid and vapour.

Eye Irrit. 2; H319 - Serious eye damage/eye irritation: Category 2; Causes serious eye irritation.

Skin Sens. 1; H317 - Skin sensitisation: Category 1; May cause an allergic skin reaction.

STOT SE 3; H336 - STOT-single exposure: Category 3; May cause drowsiness or dizziness.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms

Page: 1 / 11

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Igepa Surface Cleaner

Revision date: 21-05-2021 **Version (Revision):** 6.0.0 (5.0.0)

Print date : 23-02-2024





Flame (GHS02) · Exclamation mark (GHS07)

Signal word

Danger

Hazard components for labelling

PROPAN-2-OL; CAS No.: 67-63-0

(R)-P-MENTHA-1,8-DIEEN; CAS No.: 8028-48-6

Hazard statements

H225 Highly flammable liquid and vapour.
 H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

moking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting/...] equipment.

P312 Call a POISON CENTER/doctor/... if you feel unwell.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Remark

The product is classified and labelled according to EC directives or corresponding national laws.

2.3 Other hazards

Frequently or prolonged contact with skin may cause dermal irritation.

Adverse environmental effects

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

2.4 Additional information

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients

PROPAN-2-OL; REACH No.: 01-2119457558-25; EC No.: 200-661-7; CAS No.: 67-63-0

Weight fraction : \geq 50 %

Classification 1272/2008 [CLP] : Flam. Liq. 2 ; H225 Eye Irrit. 2 ; H319 STOT SE 3 ; H336 (R)-P-MENTHA-1,8-DIEEN ; REACH No. : 01-2119493353-35 ; EC No. : 232-433-8; CAS No. : 8028-48-6

Weight fraction : $\geq 1 - < 2.5 \%$

Classification 1272/2008 [CLP]: Flam. Liq. 3; H226 Asp. Tox. 1; H304 Skin Irrit. 2; H315 Skin Sens. 1; H317

Aquatic Chronic 2; H411

Additional information

Page: 2 / 11

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Igepa Surface Cleaner

Revision date: 21-05-2021 **Version (Revision):** 6.0.0 (5.0.0)

Print date : 23-02-2024

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

Following inhalation

No special measures are necessary.

In case of skin contact

Change contaminated, saturated clothing. Wash contaminated clothing prior to re-use.

After eve contact

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

Following ingestion

Call a physician in any case! Do NOT induce vomiting. If major quantity of dust is swallowed or inhaled, immediately drink: Water

4.2 Most important symptoms and effects, both acute and delayed

The following symptoms may occur: No known symptoms to date.

4.3 Indication of any immediate medical attention and special treatment needed

None

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water mist Foam Extinguishing powder Carbon dioxide (CO2)

Unsuitable extinguishing media

Full water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Protective clothing.

5.4 Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Emergency procedures

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.2 Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Make sure spills can be contained, e.g. in sump pallets or kerbed areas.

6.3 Methods and material for containment and cleaning up

Page: 3 / 11





Trade name : Igepa Surface Cleaner

Revision date: 21-05-2021 **Version (Revision):** 6.0.0 (5.0.0)

Print date : 23-02-2024

For containment

Collect in closed and suitable containers for disposal. Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Suitable material for taking up: Sand Absorbing material, organic

6.4 Reference to other sections

See protective measures under point 7 and 8.

SECTION 7: Handling and storage



7.1 Precautions for safe handling

None

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep/Store only in original container. Suitable container/equipment material: Stainless steel Polyethylene (PE)

7.3 Specific end use(s)

None

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

DNEL-/PNEC-values

DNEL/DMEL

PROPAN-2-OL; CAS No.: 67-63-0

Limit value type : DNEL Consumer (systemic)

Exposure route: Dermal
Exposure frequency: Long-term
Limit value: 319 mg/kg

Limit value type : DNEL Consumer (systemic)

Exposure route: Inhalation
Exposure frequency: Long-term
Limit value: 89 mg/m³

Limit value type : DNEL Consumer (systemic)

Exposure route : Oral
Exposure frequency : Long-term
Limit value : 26 mg/kg

Limit value type : DNEL worker (systemic)

Exposure route: Dermal
Exposure frequency: Long-term
Limit value: 888 mg/kg

Limit value type : DNEL worker (systemic)

Exposure route: Inhalation
Exposure frequency: Long-term
Limit value: 500 mg/m³
(R)-P-MENTHA-1,8-DIEEN; CAS No.: 8028-48-6

Limit value type : DNEL/DMEL (Consumer)

Page: 4 / 11

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Igepa Surface Cleaner

Revision date: 21-05-2021 **Version (Revision):** 6.0.0 (5.0.0)

Print date : 23-02-2024

Exposure route: Oral
Exposure frequency: Long-term
Limit value: 4,44 mg/kg

Limit value type : DNEL/DMEL (Consumer)

Exposure route: Dermal
Exposure frequency: Short-term
Limit value: 92,9 µg/cm²

Limit value type : DNEL/DMEL (Consumer)

 $\begin{array}{lll} \mbox{Exposure route}: & \mbox{Inhalation} \\ \mbox{Exposure frequency}: & \mbox{Long-term} \\ \mbox{Limit value}: & 7,78 \ \mbox{mg/m}^3 \\ \end{array}$

Limit value type : DNEL/DMEL (Worker)

Exposure route : Dermal
Exposure frequency : Short-term
Limit value : 185,8 µg/cm²
Limit value type : DNEL/DMEL (Worker)

 $\begin{array}{lll} \mbox{Exposure route}: & \mbox{Inhalation} \\ \mbox{Exposure frequency}: & \mbox{Long-term} \\ \mbox{Limit value}: & \mbox{31,1 mg/m}^3 \end{array}$

PNEC

PROPAN-2-OL; CAS No.: 67-63-0

Limit value type: PNEC (Aquatic, freshwater)
Exposure route: Water (Including sewage plant)

Limit value: 140,9 mg/l

Limit value type : PNEC (Aquatic, marine water)
Exposure route : Water (Including sewage plant)

Limit value: 140,9 mg/l

Limit value type : PNEC (Sediment, freshwater)

Exposure route : Soil
Limit value : 552 mg/kg

Limit value type : PNEC (Sediment, marine water)

Exposure route: Soil
Limit value: 552 mg/kg
Limit value type: PNEC (Soil)
Exposure route: Soil
Limit value: 28 mg/kg

Limit value type : PNEC (Sewage treatment plant)
Exposure route : Water (Including sewage plant)

Limit value : 2251 mg/l (R)-P-MENTHA-1,8-DIEEN ; CAS No. : 8028-48-6

Limit value type: PNEC (Aquatic, freshwater)
Exposure route: Water (Including sewage plant)

Limit value : 5,4 μg/l

Limit value type : PNEC (Aquatic, marine water)
Exposure route : Water (Including sewage plant)

Limit value : $0,54 \mu g/l$

Limit value type : PNEC (Sediment, freshwater)
Exposure route : Water (Including sewage plant)

Limit value : 1,3 mg/kg

Limit value type : PNEC (Sediment, marine water)
Exposure route : Water (Including sewage plant)

Limit value : 0,13 mg/kg Limit value type : PNEC (Soil) Exposure route : Soil

Page: 5 / 11

according to Regulation (EC) No. 1907/2006 (REACH)



Igepa Surface Cleaner Trade name:

Revision date: 21-05-2021 Version (Revision): 6.0.0 (5.0.0)

Print date: 23-02-2024

> Limit value: 0,261 mg/kg

8.2 Exposure controls

Appropriate engineering controls

 $\ \, \text{Use only in well-ventilated areas. Use explosion-proof machinery, apparatus, ventilation facilities, tools etc. } \\$

Personal protection equipment

Skin protection

Hand protection Suitable gloves type EN ISO 374 Butyl caoutchouc (butyl rubber) NBR (Nitrile rubber) Required properties liquid-tight. Breakthrough time Permeation time (maximum wear duration) Thickness of the glove material Nitril: 0,12 mm Butyl: 0,50 mm Skin and body protection: normal working clothes.

General information

Immediately remove any contaminated clothing, shoes or stockings. Wash contaminated clothing prior to re-use.

Environmental exposure controls

See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Colour: green Odour: Alcohol.

Safety characteristics

Initial boiling point and boiling (1013 hPa) °C 100 range: 21 °C Flash point: Auto-ignition temperature : 250 °C Lower explosion limit: Vol-% Upper explosion limit: Vol-% (20°C) 0,88 Density: approx. g/cm3

Water solubility: (20°C) Weight-%

pH:

Partition coefficient (n-< 3 octanol/water):

mPa*s (20°C) 10 Viscosity:

Physical state: Liquid Melting point/freezing point: not applicable **Decomposition temperature:** No data available Freezing point: No data available Vapour Pressure: No data available Evaporation rate (n-butylacetate =

No data available Vapour density (air = 1): No data available

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

not applicable

10.2 Chemical stability

Stable under normal conditions of use

10.3 Possibility of hazardous reactions

Page: 6 / 11





Trade name : Igepa Surface Cleaner

Revision date: 21-05-2021 **Version (Revision):** 6.0.0 (5.0.0)

Print date : 23-02-2024

No information available.

10.4 Conditions to avoid

No information available.

10.5 Incompatible materials

Strong oxidizers

10.6 Hazardous decomposition products

No information available.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity

Acute oral toxicity

Parameter: LD50 (PROPAN-2-OL; CAS No.: 67-63-0)

Exposure route: Oral
Species: Rat
Effective dose: 5840 mg/kg

Parameter: LD50 (2-BUTOXYETHANOL ; CAS No. : 111-76-2)

Exposure route: Oral
Species: Rat
Effective dose: 1480 mg/kg

Parameter: LD50 ((R)-P-MENTHA-1,8-DIEEN; CAS No.: 8028-48-6)

Exposure route: Oral
Species: Rat
Effective dose: 4400 mg/kg

Parameter: LD50 (AMMONIA ; CAS No. : 1336-21-6)

Exposure route : Oral
Species : Rat
Effective dose : 350 mg/kg

Acute inhalation toxicity

Parameter: LC50 (2-BUTOXYETHANOL ; CAS No. : 111-76-2)

Exposure route: Inhalation Species: Rat Effective dose: 500 ppm

Parameter: LC50 (2-BUTOXYETHANOL ; CAS No. : 111-76-2)

Exposure route: Inhalation Species: Mouse Effective dose: 700 ppm

Corrosion

Skin corrosion/irritation

non-irritant.

Serious eye damage/eye irritation

non-irritant.

Irritation to respiratory tract

No data available

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Carcinogenicity

This substance does not meet the criteria for classification as CMR category 1A or 1B according to CLP.

Germ cell mutagenicity

No indications of human germ cell mutagenicity exist.

Page: 7 / 11





Trade name : Igepa Surface Cleaner

Revision date: 21-05-2021 **Version (Revision):** 6.0.0 (5.0.0)

Print date : 23-02-2024

Reproductive toxicity

This substance does not meet the criteria for classification as CMR category 1A or 1B according to CLP.

STOT-single exposure

not applicable

11.2 Information on other hazards

No information available.

SECTION 12: Ecological information

12.1 Toxicity

Harmless to aquatic organisms up to the tested concentration.

12.2 Persistence and degradability

Biodegradable.

12.3 Bioaccumulative potential

No indication of bioaccumulation potential.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

None

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Delivery to an approved waste disposal company. Contaminated packages must be completely emptied and can be reused following proper cleaning. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

14.1 UN number or ID number

UN 1993

14.2 UN proper shipping name

Land transport (ADR/RID)

FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL)

Sea transport (IMDG)

FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL)

Air transport (ICAO-TI / IATA-DGR)

FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL)

14.3 Transport hazard class(es)

Land transport (ADR/RID)

Class(es): 3
Classification code: F1
Hazard identification number (Kemler
No.): 33

Page: 8 / 11





Trade name : Igepa Surface Cleaner

Revision date: 21-05-2021 **Version (Revision):** 6.0.0 (5.0.0)

Print date : 23-02-2024

Tunnel restriction code : D/E

Special Provisions: 640D · LQ 1 l · E 2

Hazard label(s):

Sea transport (IMDG)

 Class(es):
 3

 EmS-No.:
 F-E / S-E

 Special Provisions:
 LQ 1 | E 2

Hazard label(s):



Air transport (ICAO-TI / IATA-DGR)

Class(es): 3
Special Provisions: E 2

Hazard label(s):



14.4 Packing group

ΤT

14.5 Environmental hazards

Land transport (ADR/RID): No Sea transport (IMDG): No

Air transport (ICAO-TI / IATA-DGR): No

14.6 Special precautions for user

None

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture $^{15.1}$

Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Authorisations and/or restrictions on use

Restrictions on use

Regulation (EC) No. 1907/2006 (REACH), Annex XVII (restrictions)

Use restriction according to REACH annex XVII, no. : $\,$ 3, 40, 75

Other regulations (EU)

Labelling for contents according to regulation (EC) No. 648/2004

None

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this preparation were not carried out.

Page: 9 / 11





Trade name : Igepa Surface Cleaner

Revision date: 21-05-2021 **Version (Revision):** 6.0.0 (5.0.0)

Print date : 23-02-2024

SECTION 16: Other information

16.1 Indication of changes

01. Sectors of use [SU] · 02. Label elements · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] - Hazard components for labelling · 03. Hazardous ingredients · 08. Occupational exposure limit values · 14. UN proper shipping name - Land transport (ADR/RID) · 14. UN proper shipping name - Air transport (ICAO-TI / IATA-DGR) · 15. Restrictions on use

16.2 Abbreviations and acronyms

ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road

ASTM = American Society of Testing and Materials (US)

CAS No = Chemical Abstracts Service Number (see ACS - American Chemical Society)

DNEL = Derived No-Effect Level

DT50 = Time for 50% loss; half-life

EbC50 = Median effective concentration (biomass, e.g. of algae)

EC50 = Median effective concentration

EINECS = European Inventory of Existing Commercial Chemical Substan

ELINCS = European List of Notified (New) Chemicals (see Tab 7, Background - Guide)

ErC50 = Median effective concentration (growth rate, e.g. of algae)

EWC = European Waste Catalogue

IATA = International Air Transport Association

IC50 = Concentration that produces 50% inhibition

IMDG = International Maritime Dangerous Goods Code

IMO = International Maritime Organization

LC50 = Concentration required to kill 50% of test organisms

LD50 = Dose required to kill 50% of test organisms

LEL = Lower Explosive Limit/Lower Explosion Limit

LOAEL = Lowest observed adverse effect level

MRL = Maximum Residue Limit

NOAEL = No Observed Adverse Effect Level

NOEC = No observed effect concentration

NOEL = No Observable Effect Level

OEL = Occupational Exposure Limits

PBT = Persistent, Bioaccumulative or Toxic

PNEC = Previsible Non Effect Concentration

STEL = Short-Term Exposure Limit

TWA = Time-Weighted Average

vPvB = Very Persistent and Very Bioacccumulative

16.3 Key literature references and sources for data

None

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

No information available.

16.5 Relevant H- and EUH-phrases (Number and full text)

H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

16.6 Training advice

None

Page: 10 / 11





Trade name : Igepa Surface Cleaner

Revision date : 21-05-2021 **Version (Revision) :** 6.0.0 (5.0.0)

Print date : 23-02-2024

16.7 Additional information

Article No.: 816

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Page: 11 / 11