
Wichtige Hinweise für die Lagerung von SIMONA® PVC Schaumplatten




Die Lagerung von SIMONA® Kunststoffhalbzeugen sollte grundsätzlich in einer Halle ohne Feuchtigkeit, Temperatursprünge und direkte Sonneneinstrahlung erfolgen.




Verpackungsbänder sind nur für den sicheren Transport vorgesehen. Bei dauerhafter Lagerung bitte entfernen.



Eine Zwischenlage (z. B. Pappe) zwischen Palette und Kunststoffhalbzeug wird empfohlen.




Es ist ratsam, bei der Lagerung Folien als Staubschutz zu verwenden.



Eine einseitige Erwärmung durch eine Wärmequelle ist zu vermeiden.



Die Plattenlagerung sollte auf einer stabilen, planen und gut unterstützenden Palette, welche mindestens der Plattengröße entspricht, erfolgen.



Bei einer Blocklagerung mit mehreren Paletten übereinander empfehlen wir, eine Palette jeweils "kopfüber" als Zwischenlage zu verwenden, um eine bessere Lastenverteilung zu gewährleisten.



Wir empfehlen eine maximale Blocklagerung von 8 Paletten übereinander, beginnend mit der dicksten Stärke.



Important notes about the storage of SIMONA® PVC foam sheets



SIMONA® Semi-Finished Plastic Parts should always be stored in a building devoid of moisture, sudden temperature fluctuations and direct sunlight.




Transport straps are used solely for the purpose of ensuring safe transport. Please remove them prior to storage for an extended period of time.



A liner (made of cardboard for example) placed between the pallet and the semi-finished plastic parts is recommended.



For storage, it is advisable to use plastic film to protect against dust.



Exposure to a heat source from one side should be avoided.



Sheet products should be stored on a sturdy, flat pallet that provides ample support and is at least as large as the size of the sheet.



If a block of pallets is assembled one on top of the other, we recommend lacing a pallet upside down in between in order to improve load distribution.



In the case of stacking as a block, we recommend that no more than 8 pallets are stored on top of each other. Products with the larger thicknesses should be placed at the bottom.