




Azura TU gum

Operator working instructions

Water-based clean-out gum for Azura TU plates.

This gum was designed to improve the ink roll-up of the Azura TU plate. The non-image areas of an Azura TU plate are easily removed by application of the gum and the use of simple brush rollers. This is a PHYSICAL PROCESS, as opposed to the conventional wet chemical process for “traditional” digital plates. The gum has a dual role: washing the non-image areas away and protecting the grained and anodised aluminium.

General information	
Main characteristics	<ul style="list-style-type: none">pH neutral.Non-solvent based.No replenisher required.Ready to use.
Working instructions	Special Comments <ul style="list-style-type: none">Green Caps on bottles.Azura TU gum can be used in C and CX units.Only for Azura TU plates.
Shelf life	<ul style="list-style-type: none">24 months
Storage	<ul style="list-style-type: none">Store at room temperature in a dry, well-ventilated area.Keep away from heat and direct sunlight.Keep the containers closed.
Ordering information	 <ul style="list-style-type: none">Art.code 20 L: 409T3
Waste	 <ul style="list-style-type: none">Collect if possible.Send to authorized disposal centres.Follow local and national regulations.
Safety	 <ul style="list-style-type: none">Read the Material Safety Datasheet (MSDS) before using this product.Our products are compliant with the legally prescribed controlling directives eg REACH, ISO 9001. We work in partnership with leading printing press manufacturers including Manroland, Heidelberg & KBA. Where applicable Agfa offers fountain additives & washes which are food grade compliant (FOGRA listed). Click here for more information on our SHE policy.

Advised for

- | | |
|--------|--|
| Plates | <ul style="list-style-type: none">Azura TU |
|--------|--|

Properties

Appearance • Light brown liquid

Density • 1.030 Kg/L

Acidity (25°C) • 7.00 pH

